FAW TRUCKS

JK6 6x4



FAW TRUCKS

SPECIFICATIONS

Overall Dimensions	
Length (mm)	6960
Width (mm)	2500
Height (mm)	3120
Wheelbase (mm)	3300 + 1350
Tread Front / Rear (mm)	2020 / 1878
Front / Rear Overhang (mm)	1410 / 900
Min Ground Clearance (mm)	256
Approach / Depart Angle (°)	18° / 40°
Unladen Weight (kg)	11600
Gross Vehicle Weight (kg)	29000
Front / Rear Axle (kg)	7000 / 22000
Seating Capacity	1 Driver & 2 Passengers
Max. Speed (km/h)	60
Min. Turning Circle (m)	≤ 15
Fuel Tank Capacity (L)	300

Engine	
Make	WEICHAI
Model	WP8T380E62
Position	Front
Propollent	Diesel
Emission Standard	EURO VI
Maximum Net Power	274kW @ 2100rpm
Maximum Net Torque	1600Nm @ 1200-1600rpm
Fuel System	Direct Injection
Displacement (cc)	8200
Bore x Stroke (mm)	111 x 142
Compression Ratio	20 : 1
Number of Cylinder	6
Layout	In-Line
Valve Per Cylinder	4
Stroke	4
Turbocharge	Yes


Transmission	
Make	FAST
Model	10JSD160T
Transmission Type	MT
Speed	10 Forward 2 Reverse
Wheel Drive	Rear Wheel Drive

Suspension	
Front Axle	Leaf Spring
Rear Axle	Leaf Spring
Anti Roll Bar	Yes


Brake	
Front / Rear	Drum / Drum
Dual Circuit	Yes
Diagonally Split	Yes
ABS	Yes
Parking Brake	Hand
Traction Control System	No


Additional Features
360-degree (4-camera) view system
Automatic mirror adjustment makes handling easier for the driver.
Electric cab-tilt function makes maintenance and parts replacement effortless and convenient.

Tyre	
Front	295/80R22.5-18PR
Rear	295/80R22.5-18PR





















FAW TRUCKS

SALES OFFICE

12 Tampines North Drive 4, Singapore 529435
Operating Hours: Monday to Saturday, 8:00 AM - 5:30 PM
Closed on Sundays and Public Holidays
Contact: (T) 9888 8885 | www.fawtrucks.sg

Starray Solutions (Singapore) Pte Ltd reserves the right to modify specifications and equipment without prior notice. The vehicles and specifications featured in this catalogue may vary from those available in your area. Actual interior features and colors may differ from the pictures shown, and vehicle body colors may vary slightly from the printed photos.